

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. Contract ID Code Firm-Fixed-Price		Page 1 Of 10	
2. Amendment/Modification No. P00003		3. Effective Date 2002MAY30		4. Requisition/Purchase Req No. SEE SCHEDULE		5. Project No. (If applicable)	
6. Issued By TACOM-ROCK ISLAND AMSTA-LC-CSC-C BOBBIE STEGALL (309)782-3618 ROCK ISLAND IL 61299-7630 EMAIL: STEGALLB@RIA.ARMY.MIL		Code W52H09	7. Administered By (If other than Item 6) DCMA HARTFORD 130 DARLIN ST EAST HARTFORD CT 06108-3234 <div style="display: flex; justify-content: space-between;">SCD CPAS NAADP PT SC1012</div>				Code S0701A
8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code) COLTS MANUFACTURING COMPANY INC PO BOX 1868 HARTFORD CT 06144-1868 TYPE BUSINESS: Other Small Business Performing in U.S.				<input type="checkbox"/>		9A. Amendment Of Solicitation No.	
				<input type="checkbox"/>		9B. Dated (See Item 11)	
				<input checked="" type="checkbox"/>		10A. Modification Of Contract/Order No. DAAE20-99-D-0067	
				<input type="checkbox"/>		10B. Dated (See Item 13) 1999AUG11	
Code 13629		Facility Code					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <div style="margin-left: 40px;"><input type="checkbox"/> is extended, <input type="checkbox"/> is not extended.</div> Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. Accounting And Appropriation Data (If required) Payment will be made by Electronic Funds Transfer NO CHANGE TO OBLIGATION DATA							
13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS It Modifies The Contract/Order No. As Described In Item 14.							
KIND MOD CODE: G							
<input type="checkbox"/> A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.		The Changes Set Forth In Item 14 Are Made In					
<input type="checkbox"/> B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).							
<input checked="" type="checkbox"/> C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: FAR 43.103(a)(3)							
<input type="checkbox"/> D. Other (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return _____ copies to the Issuing Office.							
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) SEE SECOND PAGE FOR DESCRIPTION							
Contract Expiration Date: 2003SEP30							
Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. Name And Title Of Signer (Type or print)				16A. Name And Title Of Contracting Officer (Type or print) JERRY L YOWELL YOWELLJ@RIA.ARMY.MIL (309)782-6736			
15B. Contractor/Offeror _____ (Signature of person authorized to sign)		15C. Date Signed		16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)		16C. Date Signed 2002MAY30	
NSN 7540-01-152-8070 PREVIOUS EDITIONS UNUSABLE				30-105-02		STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0067 MOD/AMD P00003	Page 2 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION A - SUPPLEMENTAL INFORMATION

1. The purpose of this modification is to add-on the following items as stated in the Pricing Summary, Attachment 004.

Clin 0008 - Heavy Barrel Assembly
Clin 0009 - Receiver

2. The following clause changes are made as a result of the above action.

CHANGED CLAUSES	REGULATORY CITE	TITLE
CS6100	52.210-4501	DRAWINGS/SPECIFICATIONS
EF6002	52.246-11	HIGHER LEVEL CONTRACT QUALITY MANAGEMENT
IA6716	252.223-7007	SAFEGUARDING SENSITIVE CONVENTIONAL ARMS, AMMUNITION, AND EXPLOSIVES
ADDED CLAUSES		
DS6411	52.211-4501	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)
DS6413	52.211-4503	PACKAGING REQUIREMENTS (COMMERCIAL)
ES6045	52.245-4508	GOVERNMENT FURNISHED AMMUNITION
ES7002	52.246-4531	ACCEPTANCE INSPECTION EQUIPMENT (AIE)
ES7011	52.246-4532	DESTRUCTIVE TESTING (APPLIES TO CLIN 0008 ONLY)
ES7012	52.246-4528	REWORK AND REPAIR OF NONCONFORMING MATERIAL
ES7016	52.246-4540	CONTRACTOR PERFORMANCE CERTIFICATION PROGRAM (CP) 2-2000
DELETED AND REPLACED BY		
ES6043	52.245-4538	GOVERNMENT FURNISHED AMMUNITION (NO LONGER VALID) DELETED AND REPLACED BY ES6045
ES7018	52.246-4531	ACCEPTANCE INSPECTION EQUIPMENT (AIE). DELETED AND REPLACED BY ES7002

3. The phosphate coating procedure approved under basic Contract DAAE20-99-D-0067 is approved for use for CLINs 0008 and 0009.

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 3 of 10
	PIIN/SIIN DAAE20-99-D-0067	MOD/AMD P00003	
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC			

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

For Local Clauses See: <https://aais.ria.army.mil>

Status	Regulatory Cite	Title	Date
C-1 CHANGED	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with inclosed Technical Data Package Listing - TDPL 9390007, 9390003, 12012081, 9390031, 9390023, 9390019, and 12012082 with exceptions as follows:

All items shall be produced to the latest configuration under the production at the time each delivery order is executed. Currently the latest production contract is DAAE20-96-C-0008.

Section C is hereby revised to include the following:

1. Drawings and specifications in accordance with enclosed Technical Data Package Listing - TDPL 12991851 and 12972670 with exceptions as follows:

All items shall be produced to the latest configuration under the production at the time each delivery order is executed. Currently the latest production contract is DAAE20-98-C-0082.

2. Engineering Change Proposal (ECP) L1S3075 2001-12-27 approved 28 Jan 02 is incorporated on a mandatory basis. This ECP improves the surface finish of the M4 Chamber. See Attachment 003.

(CS6100)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0067 MOD/AMD P00003	Page 4 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION D - PACKAGING AND MARKING

For Local Clauses See: <https://aais.ria.army.mil>

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1 CHANGED	52.211-4501 TACOM-RI	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	FEB/2000
THIS APPLIES TO CLIN 0008 ONLY.			

a. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below,all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 DEC 99 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY
Level of Packing: B
Quantity Per Unit Package: 001
SPI Number: 12991851, REV-, DATE 22 FEB 01

b. Unitization Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.

c. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision N, Date 15 May 97, including bar coding in accordance with ANSI/AIM-BC1, Uniform Symbology Specification Code 39.

d. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in paragraph e below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor notifies the Administrative Contracting Officer 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the Contracting Officer and the Administrative Contracting Officer. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

e. SUPPLEMENTAL INSTRUCTIONS: BORE TUBE DRAWING ATTACHED.

(End of clause)

(DS6411)

D-2 CHANGED	52.211-4503 TACOM-RI	PACKAGING REQUIREMENTS (COMMERCIAL)	FEB/2000
THIS APPLIES TO CLIN 0009 ONLY.			

a. The preservation, packing, and marking requirements shall be accomplished in accordance with the performance requirements defined herein.

b. The following Packaging requirements shall apply:

Preservation: COMMERCIAL
Level of Packing: COMMERCIAL
Quantity Per Unit Package: 001
Quantity of Unit Packages Per Intermediate Container: SEE PARA 3

(1) Packaging - Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements:

(i) Cleanliness - Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0067 MOD/AMD P00003	Page 5 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

considered contaminants.

(ii) Preservation - Items susceptible to corrosion or deterioration shall be provided protection such as preservative coatings, volatile corrosion inhibitors, or desiccated unit packs.

(iii) Cushioning - Items requiring protection from physical and mechanical damage (e.g., fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

(2) Unit package:

(i) Unit Package - A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton, or box.

(ii) Unit Package Quantity - Unless otherwise specified, the unit package quantity shall be one each part, set assembly, kit, etc.

(3) Intermediate Package:

(i) Intermediate packaging is required whenever the quantity is over one (1) gross of the same national stock number and when such use enhances handling and inventorying, or whenever the exterior surfaces of the unit pack is a bag of any type, regardless of the size, or whenever the unit pack is less than 64 cubic inches, or when the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches. Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(4) Packing:

(i) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(ii) Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

c. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall not exceed 4,000 pounds and should not exceed 52 inches in length or width, or 54 inches in height. The load shall be contained in a manner that will permit safe handling during shipment and storage.

d. Marking: All unit packages, intermediate packs, exterior shipping containers, and as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision N, Date 15 MAY 97, including bar coding, see AIM-BC1, Uniform Symbology Specification (USS)-39, Document Number X5-2. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.

e. Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

f. Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

g. SUPPLEMENTAL INSTRUCTIONS: N/A

(End of clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0067 MOD/AMD P00003	Page 6 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION E - INSPECTION AND ACCEPTANCE

For Local Clauses See: <https://aais.ria.army.mil>

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
E-1 CHANGED 52.246-11	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999

The Contractor shall comply with the higher-level quality standard as follows:

Title	Number	Date	Tailoring
(X) Quality Management System - Requirements	ISO 9001:2000	13 Dec 2000	tailored by excluding Paragraph 7.3

(End of clause)

(EF6002)

E-2 CHANGED 52.246-4528 TACOM-RI	REWORK AND REPAIR OF NONCONFORMING MATERIAL	MAY/1994
a. Rework and Repair are defined as follows:		

(1) Rework - The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.

(2) Repair - The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.

b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.

c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.

d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.

e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of Clause)

(ES7012)

E-3 CHANGED 52.246-4531 TACOM-RI	ACCEPTANCE INSPECTION EQUIPMENT (AIE)	MAR/2001
Acceptance Inspection Equipment (AIE) submittal will only be required when any of the following applies:		

1. New Inspection Equipment
2. Change of current design or
3. Inspection equipment not previously approved on prior contracts with TACOM-Rock Island.

(a) The contractor shall use a calibration system with traceability to a national or international standard for the AIE used on this contract.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0067 MOD/AMD P00003	Page 7 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

(b) The contractor shall provide all AIE (except for any AIE listed as available in Section H or Appendix I) necessary to assure conformance of material to the contract requirements.

(c) AIE shall be available for use on the First Article (FA) submission, if FA is required, or prior to use for acceptance of production material on this contract.

(d) Contractor furnished AIE shall be made (i) to the AIE designs specified in Section C, or (ii) to any other design provided the contractor's proposed AIE design is approved by the Government. Contractor's proposed AIE design for inspection of characteristics listed as "Critical, Special or Major" shall be submitted to the Government for review and approval as directed on the Contract Data Requirements List, DD Form 1423. Government approval of AIE design shall not be considered to modify the contract requirements.

(e) When the contractor submits it's proposed AIE on commercial off the shelf equipment, the contractor shall include the manufacturer's name and model number, and sufficient information to show capability of the proposed AIE to perform the inspection required. When submitting proposed AIE design documentation on commercial computer controlled test and measuring equipment include information on (1) test program listing (2) flowcharts showing accept and reject limits and computer generated test stimuli (3) calibration program listing (4) sample of the printout of an actual test and calibration (5) test plan to verify accuracy of inspection and correctness of accept or reject decision (6) identification of the equipment by model name and number.

(f) Resubmission of the contractor's proposed AIE design for Government approval on a follow on Government contract is not required, provided the inspection characteristic parameters specified in the technical data package and the previously Government approved AIE designs have not changed. In this situation, the contractor shall provide written correspondence in the place of the AIE designs that indicates the prior Government approval and states that no changes have occurred.

(g) The Government reserves the right to disapprove, at any time during the performance of this contract, any AIE that is not accomplishing its intended use in verifying an inspection or test characteristic.

(h) If the contractor changes the design after the initial approval, the modified design must be submitted for approval prior to use.

(End of clause)

(ES7002)

E-4 CHANGED 52.246-4532 TACOM-RI	DESTRUCTIVE TESTING	MAY/1994
-------------------------------------	---------------------	----------

APPLIES TO CLIN 0008 ONLY.

a. All costs for destructive testing by the Contractor and items destroyed by the Government are considered as being included in the contract unit price.

b. Where destructive testing of items or components thereof is required by contract or specification, the number of items or components required to be destructively tested, whether destructively tested or not, shall be in addition to the quantity to be delivered to the Government as set forth in the Contract Schedule.

c. All pieces of the complete First Article shall be considered as destructively tested items unless specifically exempted by other provisions of this contract.

d. The Contractor shall not reuse any components from items used in a destructive test during First Article, lot acceptance or inprocess testing, unless specifically authorized by the Contracting Officer.

e. The Government reserves the right to take title to all or any items or components described above. The Government may take title to all or any items or components upon notice to the Contractor. The items or components of items to which the Government takes title shall be shipped in accordance with the Contracting Officer's instructions. Those items and components to which the Government does not obtain title shall be rendered inoperable and disposed of as scrap by the Contractor.

(End of Clause)

(ES7011)

Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC

SECTION I - CONTRACT CLAUSES

For Local Clauses See: <https://aais.ria.army.mil>

Status	Regulatory Cite	Title	Date
I-1 CHANGED	252.223-7007 DFARS	SAFEGUARDING SENSITIVE CONVENTIONAL ARMS, AMMUNITION, AND EXPLOSIVES	SEP/1999

- (a) Definition.
- ''Arms, ammunition, and explosives (AA&E),'' as used in this clause, means those items within the scope (chapter 1, paragraph B) of DoD 5100.76-M, Physical Security of Sensitive Conventional Arms, Ammunition, and Explosives.
- (b) The requirements of DoD 5100.76-M apply to the following items of AA&E being developed, produced, manufactured, or purchased for the Government, or provided to the Contractor as Government-furnished property under this contract:
- | NOMENCLATURE | NATIONAL STOCK NUMBER | SENSITIVITY/CATEGORY |
|-----------------------|-----------------------|----------------------|
| Barrel Assembly | 1005-01-233-8529 | Cat IV |
| Barrel, Rifle (Heavy) | 1005-01-471-5456 | Cat IV |
| M855 Ball Ammunition | 1305-01-155-5459 | Cat IV |
- (c) The Contractor shall comply with the requirements of DoD 5100.76-M, as specified in the statement of work. The edition of DoD 5100-76-M in effect on the date of issuance of the solicitation for this contract shall apply.
- (d) The Contractor shall allow representatives of the Defense Investigative Service (DIS), and representatives of other appropriate offices of the Government, access at all reasonable times into its facilities and those of its subcontractors, for the purpose of performing surveys, inspections, and investigations necessary to review compliance with the physical security standards applicable to this contract.
- (e) The Contractor shall notify the cognizant DIS field office of any subcontract involving AA&E within 10 days after award of the subcontract.
- (f) The Contractor shall ensure that the requirements of this clause are included in all subcontracts, at every tier--
- (1) For the development, production, manufacture, or purchase of AA&E; or
- (2) When AA&E will be provided to the subcontractor as Government-furnished property.
- (g) Nothing in this clause shall relieve the Contractor of its responsibility for complying with applicable Federal, state, and local laws, ordinances, codes, and regulations (including requirements for obtaining licenses and permits) in connection with the performance of this contract.

End of Clause

(IA6716)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0067 MOD/AMD P00003	Page 10 of 10
Name of Offeror or Contractor: COLTS MANUFACTURING COMPANY INC		

SECTION J - LIST OF ATTACHMENTS

<u>List of Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number of Pages</u>	<u>Transmitted By</u>
Exhibit A	DD FORM 1423 - CONTRACT DATA REQUIREMENTS LIST (UPPER RECEIVER)	18-APR-2002	002	
Exhibit B	DD FORM 1423 - CONTRACT DATA REQUIREMENTS LIST (HEAVY BARREL)	17-APR-2002	004	
Exhibit C	DD FORM 1423 - CONTRACT DATA REQUIREMENTS LIST		002	
Attachment 003	ENGINEERING CHANGE PROPOSAL L1S3075	28-JAN-2002	003	
Attachment 004	PRICING SUMMARY	08-MAY-2002	001	
Attachment 005	SECURITY STATEMENT OF WORK (HEAVY BARREL)		003	
Attachment 006	HAZARDOUS COMPONENT SAFETY DATA STATEMENT (HCSDS) (M855 BALL AMMO)	03-MAR-1999	004	
Attachment 007	ACCOUNTABILITY INSTRUCTIONS (HEAVY BARREL)		003	
Attachment 008	DOCUMENT SUMMARY LIST (HEAVY BARREL)		002	
Attachment 009	DOCUMENT SUMMARY LIST (UPPER RECEIVER)		002	